

Cupboard Back Absorber

1 Ceiling- & Wall Absorber | Acoustic Elements

Customised Acoustic Solutions



Product



Cupboard Back Absorber

Simple, straightforward and restrained

Freestanding




The highly sound-absorbing acoustic **cupboard back absorbers** convince not only with good acoustic properties. Simple, straightforward and unobtrusive, with a total thickness of only 20 mm and a full-surface fabric covering, including the edge profiles, these can be used on almost all carcass types. Depending on the

sideboard or cabinet construction, the fixing method is individually adapted. In addition to screwing through the rear wall of the cabinet, it is also possible to attach it using adhesive, Velcro or magnetic connections. The latter is particularly suitable for cabinets with steel carcasses, provided that the **cupboard back absorbers** can be secured against lowering.



Cupboard Back Absorber



Sound absorption level -
octave centre frequency



[Cupboard Back Absorber >>](#)

Impressum

published by
Akustik Office Systeme GmbH
Lenabergweg 5
D-91626 Schopfloch

Editor
Henrik Behnert, AOS

Graphics / Illustration
Sabine Fleischmann, AOS

Photos
Damian Tauchert, Berlin
for AOS

@2023



Akustik Office Systeme GmbH
Lenabergweg 5
91626 Schopfloch
Germany

Phone +49 9857 97559-0

Fax +49 9857 97559-29

info@akustik-office-systeme.de

www.akustik-office-systeme.de